

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20070230520").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 13:39
L2	0	laser same red same green same blue same controller same select\$3 same activat\$3.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 13:42
S1	4	((("5317348") or ("6066127"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 16:29
S2	2	("5144630").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/12 16:31
S3	625	372/23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:32
S4	251	372/29.011.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:33
S5	622	372/97.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:33
S6	0	S3 and (((solid adj state) rod slab) same laser same fold\$3 same combiner same diffuser same shutter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:38

S7	0	S4 and (((solid adj state) rod slab) same laser same fold\$3 same combiner same diffuser same shutter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:38
S8	0	S5 and (((solid adj state) rod slab) same laser same fold\$3 same combiner same diffuser same shutter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:38
S9	0	(((solid adj state) rod slab) same laser same fold\$3 same combiner same diffuser same shutter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:38
S10	0	S3 and (((solid adj state) rod slab) same laser same fold\$3 same combiner same diffuser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:38
S11	0	S4 and (((solid adj state) rod slab) same laser same fold\$3 same combiner same diffuser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:39
S12	0	S5 and (((solid adj state) rod slab) same laser same fold\$3 same combiner same diffuser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:39
S13	0	(((solid adj state) rod slab) same laser same fold\$3 same combiner same diffuser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:39
S14	7	(((solid adj state) rod slab) same laser same fold\$3 same combiner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:39
S15	5	(((solid adj state) rod slab) same laser same red same green same blue same combiner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 16:40
S16	0	((solid adj state) rod slab) same laser same deictor same diffuser same shutter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:15

S17	0	((solid adj state) rod slab) same laser same detector same diffuser same shutter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:15
S18	0	((solid adj state) rod slab) same laser same (photodetect\$3 detect \$3) same diffuser same shutter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:16
S19	55	((solid adj state) rod slab) same laser same (photodetect\$3 detect \$3) same diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:16
S20	1	((solid adj state) rod slab) same laser same (photodetect\$3 detect \$3) same diffuser same attenuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:16
S21	0	((solid adj state) rod slab) same laser same (photodetect\$3 detect \$3) same diffuser same shutter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:19
S22	74	((solid adj state) rod slab) same laser same (photodetect\$3 detect \$3) same shutter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:19
S23	7	((solid adj state) rod slab) same laser same (photodetect\$3 detect \$3) same shutter same target	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:20
S24	8	((solid adj state) rod slab) same laser same (photodetect\$3 detect \$3) same shutter same safety	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 13:22
S25	2	("20070230520").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/17 13:27
S26	2	("5144630").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 13:59

S27	0	(laser same red same green same blue same (control control\$3) same (combiner fold\$3)) same (ophthalmic ophthalmoscope ophthalmology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:03
S28	0	(laser same red same green same blue same (control control\$3) same (combiner fold\$3)) same (ophthalmic ophthalmoscope ophthalmology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:03
S29	2	((laser same red same green same blue same (control control\$3) same (combiner fold\$3))) and (ophthalmic ophthalmoscope ophthalmology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:04
S30	100	((laser same red same green same blue same (control control\$3) same (combiner fold\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:05
S31	7	((laser same red same green same blue same (combiner fold\$3))) and (ophthalmic ophthalmoscope ophthalmology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:05
S32	7	((laser same red same green same blue same (combiner fold\$3))) same tissue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:15
S33	13	((laser same red same green same blue same (combiner fold\$3))) and (tissue same medical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:16
S34	2	("5144630").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 12:41

S35	2	("6008781").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 12:42
S36	0	laser same ((red same green same blue) rgb) same (conver\$3 doubl \$3) same attenuat\$3 same shutter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 12:47
S37	7	laser same ((red same green same blue) rgb) same (conver\$3 doubl \$3) same attenuat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 12:47
S38	2	("5456603").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 12:56
S39	14	laser same ((red same green same blue) rgb) same (conver\$3 doubl \$3) same diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 12:57
S40	1879	laser same ((red same green same blue) rgb) same (conver\$3 doubl \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 12:59
S41	343	laser same ((red same green same blue) rgb) same (frequency adj doubl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:00
S42	0	laser same ((red same green same blue) rgb) same (frequency adj doubl\$3) same surgery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:03
S43	0	laser same ((red same green same blue) rgb) same (frequency adj doubl\$3) same tissue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:03
S44	9	laser same ((red same green same blue) rgb) same (frequency adj doubl\$3) same tissue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:03

S45	13	(laser same ((red same green same blue) rgb) same (frequency adj doubl\$3)) and ophthalm \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:05
S46	0	laser same ((red same green same blue) rgb) same slit-lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:38
S47	3	laser same ((red same green same blue) rgb) same slit\$1lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:39

1/20/10 1:45:10 PM

C:\Documents and Settings\dnguyen20\My Documents\EAST\Workspaces\10531691.wsp